

सूचना एवं पुस्तकालय नेटवर्क केन्द्र Information and Library Network Centre विश्वविद्यालय अनुदान आयोग का स्वायत्त अंतर विश्वविद्यालय केन्द्र An Autonomous Inter-University Centre of UGC गांधीनगर / Gandhinagar

TENDER DOCUMENT

Sr. No.	BID-DATA SHEET				
01.	Name of Work	Supply, Installation and Testing of Plate Earthing (Including Earth Pits, Earth Strips, Earth Resistance) for DG Sets and Sub Station Equipment at INFLIBNET Centre, Gandhinagar.			
02.	Tender Number	INF/PUR/EARTHING/2019-20			
03.	Yearly Estimated Cost of AMC	Rs.1,80,000/-			
04.	Bid validity	90 days			
05.	Issue of Tender Forms	Tender Documents / Forms can be Downloaded from the Institute's website <u>www.inflibnet.ac.in</u> or Central Public Procurement Portal (CPPP) <u>www.eprocure.gov.in</u>			
06.	Tender Document Delivery Mode	Through Speed Post / Registered Post/ Courier or either by person.			
07.	Earnest MoneyEarnest Money of Rs.5,000/- (Rupees Five Thousand only)Deposit (EMD)				
08.	Contact Person	Shri Harish Chandra, Administrative Officer – (PA&F) Email: <u>adminofficer[at]inflibnet[dot]ac[dot]in</u> and <u>devang[at]inflibnet[dot]ac[dot]in</u> Tel : 079-23268121/8103			
		Shri Shyam T Yadav, In-Charge (Purchase & Store) Email : <u>shyam[at]inflibnet[dot]ac[dot]in</u> Tel: 079-23268143			
09.	Contact Address	INFLIBNET Centre, Infocity, PB No 04, Gandhinagar- 382 007 Website : <u>www.inflibnet.ac.in</u>			

INTRODUCTION

The Information and Library Network Centre (here after will be referred as INFLIBNET), is an autonomous Inter University Centre of the University Grants Commission, MHRD, New Delhi. Sealed bids on behalf of Director, INFLIBNET Centre are invited **for Supply, Installation and Testing of Plate Earthing (including Earth Pits, Earth Strips, Earth Resistance) for DG Sets and Sub Station Equipment at INFLIBNET Centre, Gandhinagar** from bonafide, resourceful and reliable service providers/Bidders/agencies only as per terms and conditions attached.

Tender document downloaded from the INFLIBNET Centre's website<u>www.inflibnet.ac.in</u> or Central Public Procurement Portal (CPPP), Govt. of India website <u>www.eprocure.gov.in</u>



1. Eligibility (Pre-qualification) Criteria.

The INFLIBNET has set up minimum eligibility criteria for the bidding purpose. All bidding parties/individuals must meet following criteria before they apply for the bid. The bidders meeting the criteria must enclose their supporting document photocopies duly sealed and signed by the competent authority as mentioned in Annexure – I along with the proposal, failing which their bids will be summarily rejected and will not be considered any further.

- 1.1 The bidder should submit govt. approved electrical License.
- 1.2 The bidder should be registered with Income Tax and Goods and Service Tax.
- 1.3 The bidder should submit Earnest Money Deposit.
- 1.4 The bidder should provide bank account details (Annexure –II).
- 1.5 Bidder's Details (Annexure-III)
- 1.6 Bid Form (Annexure –IV)
- 1.7 Declaration of Bidder (Annexure-V)
- 1.8 Declaration of blacklisting/Non Blacklisting (Annexure-VI)
- **2. Period of Validity of Offer:** For the purpose of placing the order, the proposals shall remain valid till 90 days from the date of opening of the tender.
- **3. Submission of Bid:** The sealed envelope should be superscribed "Bid for Supply, Installation and Testing of Earth Pits, Earth Strips, Earth Resistance for DG Sets and Sub Station Equipment" at INFLIBNET Centre, INFOCITY, Gandhinagar And also deposited/ dropped in the tender Box placed at the security cabin, INFLIBNET CENTRE, INFOCITY, GANDHINAGAR-382007. The tender must reach on or before 13th December, 2019 at 5:00 PM.
 - 3.1 Each paper of the bid should be serially numbered and duly signed by the bidder with the seal of the firm on every page.
 - 3.2 Envelopes shall indicate the name and address of the bidder to enable the bid to be returned, if required.
 - 3.3 Late or delayed tenders shall not be considered. Therefore, please ensure that the tender is submitted/ posted well in time to reach us before the due date. The Centre will not be responsible for non-receipt of quotation due to postal delay, loss in transit etc.
 - 3.4 Any Incomplete and conditional bids received shall not be considered and will be summarily rejected in very first instance without any recourse to the bidder and shall not be evaluated.
 - 3.5 The bid shall be written in English only.
 - 3.6 No other method/means of submission of bid except as stated above shall be acceptable.
 - 3.7 All entries in the bid form should be legible and filled clearly, otherwise the bid is likely to be rejected. If the space for furnishing information is insufficient, a separate sheet duly signed by the authorized signatory may be attached. No overwriting or cutting is permitted in the Financial Bid form. The cuttings, if any, in the Bid/ Bid application must be initialed by the person authorized to sign the bid.
- **4. Earnest Money Deposit (EMD)**: The interested firms/professional may put the tender document complete in all respects along with Earnest Money Deposit (EMD) of Rs.5000/- (Rupees Five Thousand only) in the form of Demand draft / Banker's Cheque / Fixed Deposit of any scheduled bank drawn in favour of "INFLIBNET Centre" payable at Gandhinagar.

The bid securities of the unsuccessful bidders shall be returned to them at the earliest after expiry of the final bid validity and latest on or before the 30th day after the award of the contract. No interest shall be payable by the Institute on EMD. The bid security is normally to remain valid for a period of forty-five days beyond the final bid validity period.

Exemption in EMD will only be given to Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium

Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department.

- **5. Forfeiture of EMD:** EMD made by Bidder may be forfeited under the following conditions: If Bidder withdraw the proposal before the expiry of validity period. During the evaluation process, if a Bidder indulges in any such activity as would jeopardize the process, the decision of INFLIBNET regarding forfeiture of EMD shall be final and shall not be called upon question under any circumstances. If Bidder violates any of the provisions of the terms and conditions of the proposal. In the case of a successful Bidder, if Bidder fails to:
 - 5.1 Accept the work order along with the terms and conditions.
 - 5.2 Delay in initiating the services on accepting the work order.
 - 5.3 Furnish performance security.
 - 5.4 Violates any of the work conditions of this proposal or indulges in any such activities as would jeopardize the work.
 - 5.5 Submitting false/misleading information/declaration/documents/proof/etc. The decision of INFLIBNET regarding forfeiture of EMD shall be final and shall not be called upon to question under any circumstances, besides, forfeiture of EMD even the Bidder will be deferred from participating in any job.
 - 5.6 In the event of the successful bidder/contractor failing to comply with any provision of the contract.
- **6. Pre-Bid Meeting:** Pre Bid Meeting will be held on 29/11/2019 at 02.00 PM at premises of INFLIBNET. All Bidders must visit site before pre-bid meeting and have the physical inspection of all the items installed at the Centre. They may also suggest the inclusion or exclusion during the pre-bid meeting. Only the queries received within the stipulated date prior to the pre-bid meeting will be answered. Bidder/OEM can end their queries to:

Shri Shyam T Yadav, In-Charge (Stores & Purchase) Email : shyam[at]<u>inflibnet[dot]ac[dot]in</u> Tel: 079-23268143 (During office hours 9.30am to 6.00pm (Mon-Fri)

7. Performance Security Deposit: The successful bidder shall have to deposit a Performance Security Deposit of the 10 % of the total amount of work order immediately of the receipt of the Order. The performance security deposit will be furnished in the form of Demand draft/ Bank Guarantee/Banker's Cheque/Fixed Deposit of any scheduled bank drawn in favour of "INFLIBNET Centre" Payable at Gandhinagar. The performance security deposit should be valid for sixty days beyond the date of completion of all contractual obligations. Bid security shall be refunded to the successful bidder on receipt of performance security to be renewed, if the contract is extended.

8. Terms of Payment:

- 8.1 The 100% payment shall be made on successful completion of the work and with duly certified by the authorized officer of the Centre. No advance payment will be made.
- 8.2 Invoice (i.e. Tax invoice as per GST rules clearly indicating GST registration number, Service Classification, rate and amount of Tax shown separately).
- 8.3 The final payment shall, however, be made only after adjusting all the dues/claims of the Centre.
- 8.4 No claim for interest will be entertained by the Centre in respect of any payment/deport which will be held with the Centre due to dispute between the Centre & Contractor or due to Administrative delay for the reasons beyond the control of the Centre.
- 8.5 Centre reserves the right to recover amount paid in excess during the contract from any other work or source after the contract, if any, if found to be paid in excess.
- 8.6 All Taxes as per applicable rules will be deducted time to time at applicable rates from all payments made by INFLIBNET Centre.
- 8.7 The payment will be made by e-transfer through RTGS/ NEFT on submission of bill and scrutinized.

- **9. Amendment of Bid Document:** At any time prior to the deadline for submission of proposals, INFLIBNET Centre reserves the right to add/modify/delete any portion of this document by issuance of a Corrigendum, which would be published on the website and will also be made available to the all the Bidder who have been issued the tender document. The Corrigendum shall be binding on all bidders and will form part of the bid documents.
- **10. Enforcement of Terms:** The failure of either party to enforce at any time any of the provision of this contract or any rights in respect thereto or to exercise any option here in provided shall in no way be construed to be a waiver to such provisions, rights or options or in any way to affect the validity of the contract. The exercise by either party of any of its rights herein shall not preclude or prejudice either party from exercising the same or any other right it may have hereunder.
- **11. Termination of Contract:** INFLIBNET may without prejudice to any other remedy or right of claim for breach of contract by giving not less than 15 days written notice of default sent to the contractor, terminate the order in whole or in part. If the contractor materially fails to render any or all the services within the time period specified in the contract or any extension thereof granted by INFLIBNET in writing and fails to remedy its failure within a period of fifteen days after receipt of default notice from INFLIBNET. In such case INFLIBNET will invoke the amount held back from the contractor as PBG.

12. Resolution of Disputes:

- 12.1 The arbitrator's award shall be substantiated in writing. The arbitration tribunal shall also decide on the costs of the arbitration procedure. In the case of such failure the dispute shall be referred to a sole arbitrator or in case of disagreement as to the appointment of the sole arbitrator to three arbitrators, two of whom will be appointed by each Party and the third appointed by the two arbitrators.
- 12.2 The place of the arbitration shall be Ahmedabad/Gandhinagar, Gujarat. The Arbitration proceeding shall be governed by the Arbitration and Conciliation Act of 1996 as amended.
- 12.3 The proceedings of arbitration shall be in English.
- 12.4 The Parties hereto shall submit to the arbitrator's award and the award shall be enforceable in any competent court of law.
- **13. Supply & Installation:** All the material supplied by the successful bidder should be delivered within thirty (30) days on the receipt of the order and the testing & commissioning should be completed with fifteen (15) days of the delivery.
- **14.** Liquidated damage: The job includes the services mentioned in the tender document. In the event of failure to meet the job completion in stipulated date/time liquidated damage may be imposed on the contractor for sum not less than 0.5% of the contract value for that item/job for each week or part thereof, subject to a ceiling of 10% of the total contract value (including all taxes & duties and other charges). In the event of LD exceeds 10% of the order value, INFLIBNET reserves the right to terminate the contract and INFLIBNET will get the job completed by any other competent party. The difference of cost incurred by INFLIBNET will be recovered from the contractor.
- **15. Relaxation of Terms and Conditions:** The Director, INFLIBNET is empowered to relax any term or condition mentioned herein.
- **16. Agreement:** The contractor will have to enter into a written Agreement with this Centre immediately of intimation of acceptance of approved rates.
- **17. Warranty:** The successful bidder must provide a warranty of at-least one year from the date of completion of the work.

18. Indemnity Bond:

- 18.1 The contractor shall keep INFLIBNET CENTRE and all officials of this office indemnified from and against all suits, losses, claims, demands, proceedings, and liability of any nature or kind including costs and expenses, injuries to any person, damages to any property whatsoever, levy of fees or consequences which they may put to or suffer on account of the services undertaken by the contractor.
- 18.2 During the performance of the contract, if the person(s) of THE BIDDER meet with any accident which results into the death or injuries to the person(s) of THE BIDDER or any damage made to the Third party and any claim or legal penalties arise, it will be responsibility of THE BIDDER only. INFLIBNET will not be responsible in any way.
- 18.3 THE BIDDER shall follow all the regulations of Government of Gujarat and Government of India. THE BIDDER shall have any and all responsibilities of all the person(s) employed for the performance of the contract.
- 18.4 In the event of violation of any contractual or statutory obligations by the Contractor, he/she shall be responsible and liable for the same. Further, in the event of any action, claim, damages, suit initiated against the INFLIBNET by any individual, agency or government authority due to acts of the Contractor, the Contractor shall be liable to make good/compensate such claims or damages to the INFLIBNET. As a result of the acts of the Contractor, if the INFLIBNET is required to pay any damages to any individual, agency or government authority, the Contractor would be required to reimburse such amount to the INFLIBNET or the INFLIBNET reserves the right to recover such amount from the payment(s) due to the Contractor while settling his/her bills or from the amount of Security Deposit of the Contractor lying with the INFLIBNET.

Authorized Signatory (Signature In full): _____

Name and title of Signatory: _____

SCOPE OF WORK

Annexure -1

Name of work: -	"Supply, Installation and Testing of Plate Earthing (including Earth Pits, Earth
	Strips, Earth Resistance) for DG Sets and Sub-Station Equipments at INFLIBNET Centre.

Eligi	Eligibility of bidder: -			
01.	The bidder should have valid Electrical Contractor license from Gujarat Licensing Board.			
	(Copy of valid license should be enclosed)			
02.	Experience of two similar works of at least <u>Rs. 1.5 lakh value each</u> during the last five			
	years in Govt/PSU/Autonomous bodies/Reputed private organization. (copy of work order			
	should be submitted along with address of clients)			

SCO	SCOPE OF WORK			
SR No	Description	Qty. (approx.)	Unit	
01	Earthing with copper PLATE 450 mm x 450 mm x 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangements and Watering pipe of 3 meter long etc. With charcoal /cock/betonies and salt as required for DG SET (1 X 160 KVA) Neutral & Lightning Arrester.	15 nos.	Nos.	
02	Supplying and laying 25 mm x 3 mm copper strip at below Ground /Hume pipe as strip earth electrode, including connection /terminating with G.I nut, bolt, spring, washer etc. As requires (jointing shall be done by overlapping and with 2 sets of G.I Nut bolt & springer washer spaced at 50 mm) for DG SET (1 X 160 KVA) Neutral & Lightning Arrester.	50 mtr	Meters / as per actual	
03	Supplying and laying 25 mm x 3 mm G.I strip at below Ground /Hume pipe as strip earth electrode, including connection /terminating with G.I nut, bolt, spring, washer etc. As requires (jointing shall be done by overlapping and with 2 sets of G.I Nut bolt & springer washer spaced at 50 mm) for DG SET (1 X 160 KVA) Neutral & Lightning Arrester Body Earth.	70 mtr	Meters / as per actual	

0.1	
01.	SPECIFICA TIONS OF EARTHNG SYSTEMS: -
	• Earth pit of size of 1 meter diameter & 3 meter depth shall be excavated. Excavation of the rocky earth, soft murrum, hard murrum etc and back filling with black cotton soil, charcoal salt for the earth pits.
	 After 3-meter depth, the size of excavation shall be 900*300*900 mm for burying copper plate.
	 A copper plate of 450*450*3mm will be buried vertically in depth as described above. At bottom 150 mm layer of salt and charcoal (wooden) pieces shall be filled then copper plate shall be installed.
	• Minimum 120kg each of charcoal (wooden) pieces and salt shall be used.
	• The copper plate shall be connected to copper earth strip of 25*3 mm at minimum two points and joints shall be protected by heavy coat of bitumen.
	• The copper plate shall be connected to copper earth strip of 25*3 mm at minimum two points and joints shall be protected by heavy coat of bitumen.

 The earth conductors (copper strip) shall be fixed to the wall/columns etc. at every 500mm with 10mm spacers. The total Earthing system shall be mechanically and electrically connected to provide in dependent path to earth. The area of cross section for copper conductor shall be minimum 25mm*3mm. The area of cross section for GI Strip Conductor shall be minimum 25mm*3mm. Joints and tapings in the main earth loop shall be made in such a way that reliable and good electrical connections are permanently ensured. All welded joints shall be suitably protected by applying red oxide paint and bitumen. GI Earthing strip welded to the earth electrode at the top shall have hot dip galvanized coating of not less than 10 microns thickness. Welding should be free from defects; the joint is to be properly cleaned. Bolting of earth strips to be done at end of connecting earth strip to earth pit and also at the other end where earth strips are connected to equipment's/structures etc. 		
 02. Earthing System Inspection Chamber: - Earthing system inspection chamber (concrete box) of 300*300*300 mm (inside dimension) with lid cover approx. 50 mm thick with pulling hook, painting of earth pit covers, labeling of the earth pits, measurement of earth pit resistance conforming to IS-3043. 03. Earth Strip: - The earth conductors (copper strip) shall be fixed to the wall/columns etc. at every 500mm with 10mm spacers. The total Earthing system shall be mechanically and electrically connected to provide in dependent path to earth. The area of cross section for copper conductor shall be minimum 25mm*3mm. The area of cross section for GI Strip Conductor shall be minimum 25mm*3mm. Joints and tapings in the main earth loop shall be made in such a way that reliable and good electrical connections are permanently ensured. All welded joints shall be suitably protected by applying red oxide paint and bitumen. GI Earthing strip welded to the earth electrode at the top shall have hot dip galvanized coating of not less than 10 microns thickness. Welding should be free from defects; the joint is to be properly cleaned. Bolting of earth strips to be done at end of connecting earth strip to earth pit and also at the other end where earth strips are connected to equipment's/structures etc. 04. Earth Resistance :- 		will have hole of 12 mm diameter in zigzag manner starting from 15 cm away from bottom to 2 meter height.
 Earthing system inspection chamber (concrete box) of 300*300*300 mm (inside dimension) with lid cover approx. 50 mm thick with pulling hook, painting of earth pit covers, labeling of the earth pits, measurement of earth pit resistance conforming to IS-3043. Earth Strip: - The earth conductors (copper strip) shall be fixed to the wall/columns etc. at every 500mm with 10mm spacers. The total Earthing system shall be mechanically and electrically connected to provide in dependent path to earth. The area of cross section for copper conductor shall be minimum 25mm*3mm. Joints and tapings in the main earth loop shall be made in such a way that reliable and good electrical connections are permanently ensured. All welded joints shall be suitably protected by applying red oxide paint and bitumen. GI Earthing strip welded to the earth electrode at the top shall have hot dip galvanized coating of not less than 10 microns thickness. Welding should be free from defects; the joint is to be properly cleaned. Bolting of earth strips to be done at end of connecting earth strip to earth pit and also at the other end where earth strips are connected to equipment's/structures etc. 	02.	
 The earth conductors (copper strip) shall be fixed to the wall/columns etc. at every 500mm with 10mm spacers. The total Earthing system shall be mechanically and electrically connected to provide in dependent path to earth. The area of cross section for copper conductor shall be minimum 25mm*3mm. The area of cross section for GI Strip Conductor shall be minimum 25mm*3mm. Joints and tapings in the main earth loop shall be made in such a way that reliable and good electrical connections are permanently ensured. All welded joints shall be suitably protected by applying red oxide paint and bitumen. GI Earthing strip welded to the earth electrode at the top shall have hot dip galvanized coating of not less than 10 microns thickness. Welding should be free from defects; the joint is to be properly cleaned. Bolting of earth strips to be done at end of connecting earth strip to earth pit and also at the other end where earth strips are connected to equipment's/structures etc. 		Earthing system inspection chamber (concrete box) of 300*300*300 mm (inside dimension) with lid cover approx. 50 mm thick with pulling hook, painting of earth pit covers, labeling of
 with 10mm spacers. The total Earthing system shall be mechanically and electrically connected to provide in dependent path to earth. The area of cross section for copper conductor shall be minimum 25mm*3mm. The area of cross section for GI Strip Conductor shall be minimum 25mm*3mm. Joints and tapings in the main earth loop shall be made in such a way that reliable and good electrical connections are permanently ensured. All welded joints shall be suitably protected by applying red oxide paint and bitumen. GI Earthing strip welded to the earth electrode at the top shall have hot dip galvanized coating of not less than 10 microns thickness. Welding should be free from defects; the joint is to be properly cleaned. Bolting of earth strips to be done at end of connecting earth strip to earth pit and also at the other end where earth strips are connected to equipment's/structures etc. 64. Earth Resistance :- 	03.	Earth Strip: -
04. Earth Resistance :-		 The earth conductors (copper strip) shall be fixed to the wall/columns etc. at every 500mm with 10mm spacers. The total Earthing system shall be mechanically and electrically connected to provide in dependent path to earth. The area of cross section for copper conductor shall be minimum 25mm*3mm. The area of cross section for GI Strip Conductor shall be minimum 25mm*3mm. Joints and tapings in the main earth loop shall be made in such a way that reliable and good electrical connections are permanently ensured. All welded joints shall be suitably protected by applying red oxide paint and bitumen. GI Earthing strip welded to the earth electrode at the top shall have hot dip galvanized coating of not less than 10 microns thickness. Welding should be free from defects; the joint is to be properly cleaned. Bolting of earth strips to be done at end of connecting earth strip to earth pit and also at the
The Earth resistance of combined earth system shall be less than or equal to lohram .it shall be measured. It shall be measured by an approved earth testing apparatus for individual earth pits.	04.	Earth Resistance :- The Earth resistance of combined earth system shall be less than or equal to lohram .it shall be measured. It shall be measured by an approved earth testing apparatus for individual earth
05. Anti-corrosive measure :- Fitting should be resistant to the corrosive agencies or be otherwise suitably protected. Joints and bonds may be protected with bitumen or embedded in plastic communed according to the local Condition.	05.	Fitting should be resistant to the corrosive agencies or be otherwise suitably protected. Joints and bonds may be protected with bitumen or embedded in plastic communed according to the
 06. Testing & commissioning of Earthing system:- Earthing system shall keep in performance check for a period of 1 year from the date of bidder work completion. The resistance of Earthing system shall be less than or equal to 1 ohm throughout the year 	06.	• Earthing system shall keep in performance check for a period of 1 year from the date of bidder work completion.
irrespective of seasonal variation and in no case it should exceed the specified value.		

<u>Oth</u>	Other Terms & condition:-		
01.	In some location the work may be carried out near live high voltage bus cars /lines, contractor has to follow all electrical safety rules & regulation etc. and guide his manpower for safe working.		
02.	It is responsibility of the contractor to undertake necessary care and make arrangement transportation and the treatment of his worker in case of any accident.		
03.	The total length of strips (GI/Copper) specified as above is approximate and the quantify of strips used as per actual will be considered.		

<u>Annexure –II</u>

PARTICULARS FOR REFUND OF EMD TO SUCCESSFUL/ UNSUCCESSFUL BIDDER/OEM

RTGS/ National Electronic Fund Transfer (NEFT) Mandate Form

SI. No	Particulars	Attached (Y/N)
1.	Name of the Bidder/OEM	
2.	Permanent Account No. (PAN)	
3.	Particulars of Bank Account	
	a) Nmae of Bank	
	b) Name of Branch	
	c) Branch code	
	d) NEFT/ IFSC Code	
	e) Account No.	
	f) RTGS Code	
	g) 9 digit MICR code appearing on	
	the cheque book	
	h) Type of account	
	i) Address	
	j) City Name	
	k) Telephone No.	
4.	Email id of the Bidder/OEM	

Note:- Please attach original cancelled cheque along with the RTGS/ National Electronic Fund Transfer (NEFT) Mandate Form

Date :_____

Authorized Signatory (signature in full) :_____

Name and Title of Signatory :_____

Company Rubber Stamp :_____

सूचना एवं पुस्तकालय नेटवर्क केन्द्रInformation and Library Network Centre

(Tender No. INF/PUR/EARTHING/2019-20)

<u>Annexure -III</u>

1	Name of the Firm/ Company/Professional	
2	Name and Designation of Authorized	
-	Signatory	
	5 ,	
	Communication Address:	
	Office Phone No:	
	Mobile No:	
	Fax:	
	E-Mail ID:	
	GST registration Number:	
	PAN Number:	
	Bartigular Dotails of the	Bidders Representative'
3	Name of the Contact Person:	
	Designation:	
	Phone No:	
	Mobile No:	
1	E-Mail ID:	

Bidder's Details

UNDERTAKING

- 1. I, the undersigned certify that I have gone through the terms and conditions mentioned in the bidding document and undertake to comply with them.
- 2. The rates quoted by me are valid and binding upon me for the entire period of contract and period of extension.

Authorized Signatory (signature in full) :_____

Name and Title of Signatory :_____

Company Rubber Stamp :_____

सूचना एवं पुस्तकालय नेटवर्क केन्द्र Information and Library Network Centre

(Tender No. INF/PUR/EARTHING/2019-20)

Annexure – IV

BID FORM

(Bidders are requested to furnish the Bid Form in the Format given in this section, filling the all details and to be submitted on Letter Head in original)

To INFLIBNET CENTRE Infocity, Gandhinagar

Sub: Supply, Installation and Testing of Earth Pits, Earth Strips, Earth Resistance for DG Sets and Sub Station Equipment at INFLIBNET Centre, Gandhinagar.

Dear Sir,

We the undersigned bidder/(s), having read and examined in details the specifications and other documents of the subject tender No. INF/PUR/EARTHING/2019-20, do hereby propose to execute the job as per specifications as set forth in your Bid document.

The prices of all items stated in the bid are firm during the entire period of job irrespective of date of completion and not subject to any price adjusted as per in line with the bidding documents. All prices and other terms & conditions of this proposal are valid for a period of 90 (Ninety only) days from the date of opening of bid. We further declare that prices stated in our proposal are in accordance with your bidding.

We declare that items shall be executed strictly in accordance with the specifications and documents irrespective of whatever has been stated to the contrary anywhere else in our proposal. Further, we agree that additional conditions, deviations, if any, found in the proposal documents other than those stated in our deviation schedule, save that pertaining to any rebates offered shall not be given effect to.

If this proposal is accepted by you, we agree to provide services and complete the entire work, in accordance with schedule indicated in the proposal. We fully understand that the work completion schedule stipulated in the proposal is the essence of the job, if awarded.

We further agree that if our proposal is accepted, we shall provide a Performance Bank Guarantee of the value equivalent to five to ten percent (10%) of the Order value as stipulated in Financial Bid.

We agree that INFLIBNET reserves the right to accept in full/part or reject any or all the bids received or split order within successful bidders without any explanation to bidders and his decision on the subject will be final and binding on Bidder.

Dated, thisday of2019

Thanking you, we remain,

Authorized Signatory (Signature In full): _____

Name and title of Signatory: _____

सूचना एवं पुस्तकालय नेटवर्क केन्द्रInformation and Library Network Centre

(Tender No. INF/PUR/EARTHING/2019-20)

Annexure-V

DECLARATION

I,	_Son/Daughter/	/Wife
of	Resident	of

_____ Proprietor / Director / Authorized Signatory of the Company / Firm, mentioned above, is competent to sign this declaration and execute this tender document;

I/We hereby certify that I/We have read the entire terms and conditions of the tender documents from Page No. ______ to _____ (including all documents like annexure(s), schedules(s), etc.,) which form part of the contract agreement and I/We shall abide hereby by the terms / conditions / clauses contained therein.

The information / documents furnished along with the above application are true and authentic to the best of my knowledge and belief. I / we are well aware of the fact that furnishing of any false information / fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law.

The corrigendum(s) issued from time to time by your department/organization too have all been taken into consideration, while submitting this declaration letter.

I/We hereby unconditionally accept the tender conditions of above mentioned tender document(s) in it's totally / entirely.

In case any provision of this tender are found violated, then your department/organization shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely.

Authorized Signatory (Signature In full): _____

Name and title of Signatory: _____

सूचना एवं पुस्तकालय नेटवर्क केन्द्रInformation and Library Network Centre

(Tender No. INF/PUR/EARTHING/2019-20)

Annexure-VI

<u>CERTIFICATE</u>

DECARATION REGARDING BLACKLISTING/NON BLACKLISTING

Or

Signature:

Name:

Capacity in which as signed:

Name & address of the firm:

Seal of the firm should be affixed.

.....

Dated: seal. Signature of Bidder with

In case of proprietorship firm, certificate will be given by the proprietor, and in case of partnership firm, certificate will be given by all the partners and in case of limited company by all the Directors of the company or company secretary on behalf of all directors.

सूचना एवं पुस्तकालय नेटवर्क केन्द्र Information and Library Network Centre

(Tender No. INF/PUR/EARTHING/2019-20)

<u>Annexure F–I</u>

Price Bid

Rates of Supply, Installation and Testing of Plate Earthing, Earth Pits, Earth Strips, Earth Resistance for DG Sets and Sub Station Equipment at INFLIBNET Centre, Gandhinagar

SR No.	Name of item: - [Supply, installation and Testing of Plate Earthing, Earth Pits and Earth Strips for DG sets and Sub-Station Equipments Specification as per Scope of Work (Annexure -1)	Qty.	Unit Rate (In Rupees)	Total Price (In Rupees)
01.	Earthing with copper earth plate 450mm x 450mm, 3 mm Thick including accessories.	15 Nos.		
02.	Supplying and laying 25 mm x 3 mm G.I strip at below Ground /Hume pipe as strip earth electrode.	70 Meters approx/as per actual		
03.	Supplying and laying 25 mm x 3 mm copper strip Below ground /Hume pipe as strip earth electrode.	50 Meters aprrox/ as per actual		
	Applicable GST @			
	*Total FOR INFLIBNET Centre			

*(Financial bid must be submitted in separate envelope duly sealed)

Authorized Signatory (Signature In full): _____

Name and title of Signatory: _____

Annexure C-I

INDEMNITY BOND

(ON A STAMP PAPER of Rs.100/-)

We,, having a registered office at, have entered into a contract with Information & Library Network (INFLIBNET) Centre having registered office at INFOCITY, Opp. DAICT, Gandhinagar 382 007, vide contract dated, to provide Taxi services on outsourcing basis at Information & Library Network (INFLIBNET) situated at INFOCITY, Opp. DAICT, Gandhinagar 382 007.

We do hereby indemnify and keep harmless, Information & Library Network (INFLIBNET) Centre, at all times, whether during the continuation of the aforesaid contract and at any time thereafter, in respect of any claim, demand, compensation, liability, penalty, fines, interests, suits etc. of whatsoever nature made, all actions and proceedings taken against the Institute by any party, employee(s), or workman/woman provided by us, on account of any delay, default, lapse, error, or omission on our part, or of rules and regulations, as may be applicable under the said contract from time to time.

We further undertake to indemnify and keep harmless, Information & Library Network (INFLIBNET) Centre against any claim/compensation arising out of any non-payment or short payment of salaries, wages, overtime, or compensation by whatever name called and compensation and claims arising on account of any accident, injury, death, etc. during the course of their engagement by us for the purpose of this contract, or non-fulfillment of any obligation under any of the labour laws as applicable to the class of workers/employees engaged by us for the purpose of this contract.

We further declare and agree that this Indemnity Bond is an unconditional and irrevocable undertaking by us and is not restrictive in any manner.

Signature of the Tenderer/Authorized Signatory Name of the Tenderer -----

Address of the Tenderer-----

Seal of the Company/Firm:

Telephone No/ Mobile No.-----